



1 WILDFIRE SUPPRESSION EQUIPMENT



TASK FORCE TIPS
FIREFIGHTING EQUIPMENT

1-800-348-2686 ■ www.tft.com

1 WILDFIRE SUPPRESSION EQUIPMENT

By visiting www.tft.com, TFT's exclusive Web Key code provides immediate access to detailed specifications, a parts break down, pictures, users of the products in your area, and references from other fire suppression professionals on the specific product in which you are interested.



Twister Series

The Twisters, QuadraFogs, and Ball Valves offer a number of exclusive TFT features that adds to their ease of use and durability:

- *Incorporates TFT's exclusive stainless steel Ball Shutoff and Quick Change Valve Seat for maintenance-free operation*
- *Available in tip-only or Ball Shutoff versions*
- *Accepts multi-expansion foam attachments for Class A or AFFF foams*
- *Optional color-coded pistol grip for easy identification*
- *Lightweight, hard-coat anodized aluminum and stainless steel construction*



Forestry Gate/Wye Series



In-Line Valve Series



Forestry Tee

The Twister Series

Web Key: DT

Ideal for wildfire applications, the 1" and 1-1/2" Twisters are selectable, dual-gallage combination/pattern nozzles, available with 3/4", 1", or 1-1/2" threads.

- **Select the setting you need for each application: low-flow straight stream, low-flow narrow fog, high-flow straight stream, and high-flow fog**
- **3/4" and 1" versions offer either 10/24 gpm or 10/40 gpm flow ranges; 1-1/2" versions offer either 20/60 gpm or 20/95 gpm flow ranges**

The QuadraFogs

Web Key: DQF

QuadraFog selectable gallage nozzles are an excellent choice for 1" or 1-1/2" hose lines, offering a compact lightweight design, rugged durability, and the following features:

- **Four gallage selections**
- **1" versions offer 5-10-24-40 gpm gallage selections**
- **1-1/2" versions offer 30-60-95-125 gallage selections**
- **Uniquely cut, fixed metal fog teeth produce a wide range of patterns from straight stream to narrow fog to extremely wide fog**

Ball Valves

Web Key: DBV

High-flowing Ball Valves are available for 1", 1-1/2", and 2-1/2" hose lines with the following waterways and features:

- **1" ball shutoff has a 3/4" waterway**
- **1-1/2" ball shutoff has a 1" waterway**
- **1" valve is available with either rigid or swiveling rear coupling**

Forestry Gated Wye and In-Line Valve Series

Web Key: AF

For splitting a single hose line into multiple hose lines, the Forestry Gated Wye series is the dependable choice. Simple, in-line valves enable flow-efficient shutoff of any 1" or 1-1/2" hose line. Consider the features and advantages of the wyes and in-line valves:

- **Cast aluminum body with 1" ball valves and optional long or short polymer valve handles offer rugged durability**
- **Field-changeable inlet and outlet threads are available in various combinations of 1" or 1-1/2" NH and NPSH threads**

Forestry Tee Series

Web Key: AF

The Forestry Tee is ideal for supplying a 1" hose line from a larger 1-1/2" supply line. The Tees offer:

- **Hard-coat anodized cast aluminum body with 1-1/2" waterway and 1" branch outlet**
- **Valve stems are constructed of stainless steel with a durable nylon handle**
- **Choice of coupling threads for customization to your application**

DSB 1" Smoothbore Set

Web Key: SB

The DSB 1" Smoothbore set features six smoothbore inserts constructed from a high-strength nylon and aluminum alloy. By simply removing and replacing a rubber gasket, you can change the smoothbore orifice size to fit your needs:

- **1/8", 3/16", 1/4", 5/16", 3/8", and 7/16" smoothbore inserts in every set**
- **NH or NPSH threaded coupling with gasket completes the set**



For additional information call 1-800-348-2686, visit www.tft.com or contact your local authorized TFT distributor.



1" QuadraFog



Ball Valves



Foam Attachment



BubbleCup

PRO/pak Web Key: PP

Ideal for either Class A or Class B AFFF foam application, the PRO/pak foam injection and application system offers numerous advantages:

- **High-impact 2.5 gallon foam reservoir**
- **Operational pressures as low as 40 psi**
- **A large, easy-open fill port has an indicator to show the type of concentrate in the tank**
- **Three different quick-connect nozzles give you the flow that you need: stream nozzle for maximum reach and penetration; low-expansion nozzle where greater reach is desired; medium-expansion nozzle that is best for vapor suppression and longevity**
- **Optional mounting bracket, supply hose, and piercing nozzle complete the system**

Multi-Expansion Foam Attachments Web Key: FJ

Multi-expansion foam attachments are available for most TFT nozzles. Providing either a far-reaching,

low-expansion foam stream or a medium expansion stream for maximum foam production, these lightweight tools are the perfect accessory for all foam applications:

- **Rugged, UV-stabilized polyethylene and aluminum construction**
- **Simple, clip-on attachment to front bumper of the nozzle**

BubbleCups Web Key: DBC

The BubbleCup series is a unique combination/pattern nozzle capable of producing aspirated foam, conventional straight stream, and a wide fog pattern. The BubbleCup is a versatile nozzle with an extra measure of versatility not found in any other aspirating foam nozzle.

- **3/4" and 1" versions offer either 10/24 gpm, or 10/40 gpm flow ranges**
- **1-1/2" versions offer either 20/60 gpm, 95 gpm, or 20/95 gpm flow ranges**
- **Available in tip-only configuration or with stainless ball shutoff**
- **Incorporates exclusive TFT "quick change" rear valve seat**

LOT-101



2800 EAST EVANS AVENUE
VALPARAISO, INDIANA 46383-6940



TYCO Australia PTY LIMITED (A.C.N. 008 399 004)
29 Temple Drive Thomastown Victoria 3074
Phone: +61 3 9466 1244 Fax: +61 3 9466 4743